

## DEPARTMENT OF BUILDINGS ABOVE GROUND POOL/SPA PERMIT APPLICATION

POOL/SPA		
Tracking Number		
Permit Number	POOL-	
Permit Issue Date		

Filing Status – Check all that apply:		Incompl	ete applications will not	be accepted
□ Above Ground Pool □ Semi-above Ground Pool	☐ Prefabricated Spa	□Proposed	☐Maintain (year inst	alled)
Property Information:				
Property Address:				
Section: Block: Lot(s):		Zone:		☐ VFP Verified
Submission Requirements:				
<ol> <li>Current Survey showing all property improvements. (if survey is older than 12 months, a Survey Affidavit is required)</li> <li>Proposed site plan drawn to scale indicating size and dimensional location of the pool/spa, surrounding pool deck area and associated equipment, including the plan for the disposal of water.</li> <li>Fence permit application, or location and description of existing fence and gate. (including height, material, spacing, latching and self-closing mechanism)</li> <li>Information on doors and windows with direct access to the pool. Doors shall be equipped with an alarm which produces an audible warning when the door and/or its screen, if present, are opened. Operable windows shall have a latching device located no less than 48" above the floor. Openings in operable windows shall not allow a 4" diameter sphere to pass thorugh the opening when the window is in its largest opened position.</li> <li>Product information for a prefabricated pool/spa unit and cover or pool alarm. (Cover specification to indicate conformance to ASTM F1346. Pool alarm specification to indicate conformance ASTM F2208)</li> <li>Entrapment protection compliance information.</li> </ol>				
Above Ground Pool Information:				
Shape: □Round □Oval □	Other			
Size: Length: Width:	Depth: \	Water Capacity:		
Prefabricated Spa Information:				
Size: Length: Width:	Depth: \	Water Capacity:		
Owner Information:				
Owner's Name:				
Mailing Address:	City:		State:	Zip:
Phone Number: Em	nail:			
Installer Information:				
Installer's Name:				
Company Name:				
Company Address:	City:		State:	Zip:
Phone Number: Em	nail:			
Nassau County License Number:				



Electrician Information:				
Electrician's Name:				
Company Name:	Name: Floral Park License Number: □ VFP		☐ VFP Verified	
Company Address:		City: State	e: Zip:	
Phone Number:	Email:			
Property Owner Statement & S	signature:			
The undersigned affirms that I am the owner of the property described herein, situated, lying and being within the Incorporated Village of Floral Park; that I have read and understand all items as here in stated, recognize that I am responsible for all activities occurring on the property, and that failure to comply with any of the items, notwithstanding any other items defined in the Village Code, may result in the temporary suspension or permanent revocation of the permits issued for construction on the premises in accordance with the Village Code. I hereby give consent to the listed applicant to make the application on my behalf for permit to perform said work.				
Print Name:				
Notary:				
On this day of, 20, before me personally came, to me known and known to me to be the person described in as the owner and who executed the foregoing instrument and has acknowledged to me that he/she executed the same.  Notary Public				
Building Department Use Only:				
□Permit Fee: \$100	Receipt:	□Other:		
Permit Review	☐ Approval ☐ Denial	Date:	Ву:	
Required Inspections: (To be filled out by Building Department)				
□ Pool	□Approval □Denial	Date:	By:	
☐ Pool Alarm	□Approval □Denial	Date:	By:	
☐ Door/Window Alarm	□Approval □Denial	Date:	By:	
☐ Fence	□Approval □Denial	Date:	By:	
☐ Other	□Approval □Denial	Date:	By:	
☐ Final	□Approval □Denial	Date·	Rv·	

Permit Conditions: The following conditions must be met before a Certificate of Occupancy or Completion can be issued:

- The Floral Park Building Department must be made aware of all field changes prior to the time of the change. Work is NOT to continue until an amended permit is filed and approved with the Building Department.
- All work is to be left exposed until inspected and approved by the Floral Park Building Department.
   Work closed up prior to inspection approval will need to be exposed for inspection at the owner's cost.
- The Permit must be posted and visible from the street for the duration of the construction process.
- The Permit is valid for 6 months, unless construction has started. If started, the permit is valid for 12 months from the date of issuance. Should the permit expire a permit renewal application, along with updated drawings and permit fee, must be filed and approved by the Building Department.



# DEPARTMENT OF BUILDINGS ABOVE GROUND POOL / SPA PERMIT CONTINGENCIES AND INSPECTION CHECKLIST

#### Above Ground Pool / Spa Permit Contingencies and Inspection Checklist

(For full code requirements see the NYS Building Code Section 326)

#### **Temporary Barrier**

An outdoor swimming pool shall be surrounded by a 48" high temporary barrier during installation or construction that shall remain in place until a permanent barrier is provided. Exceptions:

- 1. Above-ground or on-ground pools where the pool structure constitutes a barrier in compliance with NYS Building Code.
- 2. Spas or hot tubs with a safety cover which complies with ASTM F1346, provided that such safety cover is in place during the period of installation or construction of such hot tub or spa. The temporary removal of a safety cover as required to facilitate the installation or construction of a hot tub or spa during periods when at least one person engaged in the installation or construction is present is permitted.

**Permanent Barrier** - Swimming pools shall be completely enclosed by a permanent barrier within 90 days of the date of issuance of the building permit or 90 days from the date of commencement of the installation or construction of the swimming pool.

the	build	ling permit or 90 days from the date of commencement of the installation or construction of the swimming pool.		
	Fence as barrier:			
		The top of the barrier shall be no less than 48 inches above grade measured on the side of the barrier that faces away from the swimming pool. The vertical clearance between grade and the bottom of the barrier shall be not greater than 2 inches measured on the side of the barrier that faces away from the swimming pool. Where the top of the pool structure is above grade, the barrier may be at ground level, or mounted on top of the pool structure. Fence types shall meet the requirements of the NYS Building Code section R326.4.2.		
		All gates shall be self-closing. In addition, if the gate is a pedestrian access gate, the gate shall open outward, away from the pool.		
		All gates shall be self-latching, with the latch handle located within the enclosure (i.e., on the pool side of the enclosure) and at least 40 inches above grade. In addition, if the latch handle is located less than 54 inches from grade, the latch handle shall be located at least 3 inches below the top of the gate, and neither the gate nor the barrier shall have any opening greater than 0.5 inch within 18 inches of the latch handle.		
		All gates shall be securely locked with a key, combination or other child-proof lock sufficient to prevent access to the swimming pool through such gate when the swimming pool is not in use or supervised.		
	Dw	elling wall as partial barrier:		
		Doors with direct access to the pool through that wall shall be equipped with an alarm that produces an audible warning when the door and/or its screen, if present, are opened. Where an alarm is provided, the deactivation switch shall be located 54 inches or more above the threshold of the door.		
		Operable windows in the wall or walls used as a barrier shall have a latching device located no less than 48 inches above the floor. Openings in operable windows shall not allow a 4-inch-diameter sphere to pass through the opening when the window is in its largest opened position;		
	Pod	ol structure as barrier:		
		As an alternate to a conventional on ground barrier, the barrier for above-ground or on-ground swimming pools, including quick set, inflatable swimming pools, is permitted to be mounted on top of the pool structure or the pool structure may constitute a barrier, where all the following requirements are met:		



### DEPARTMENT OF BUILDINGS ABOVE GROUND POOL / SPA PERMIT CONTINGENCIES AND INSPECTION CHECKLIST

	The structure shall meet the applicable barrier and gate requirements of the NYS Building Code, including among others, a 48-inch height;
	The barrier shall be designed "to provide protection against potential drowning and near drowning by sufficiently preventing access to the swimming pool;
	The pool and pool structure must be designed and constructed in compliance with ANSI/APSP/ICC 4, 2012 titled <i>American National Standard for Aboveground/ Onground Residential Swimming</i> Pools;
	The pool manufacturer certifies that the pool structure, if used as a barrier or with a barrier mounted on it, is designed with accepted structural engineering practices; and
	If the means of access is a ladder or steps, then:  o the ladder or steps shall be capable of being secured, locked or removed to prevent access; or  o the ladder or steps shall be surrounded by a complying swimming pool barrier.
Prohibi	ted Locations
	Barriers shall be located so as to prohibit permanent structures, equipment or similar objects from being used to climb the barrier.
Pool Al	arm
	A swimming pool or spa installed, constructed or substantially modified after December 14, 2006, shall be equipped with an approved pool alarm. Pool alarms shall comply with ASTM F2208 (Standard Specification for Pool Alarms), and shall be installed, used and maintained in accordance with the manufacturer's instructions and the NYS Building Code.
	Exceptions: A hot tub or spa equipped with a safety cover which complies with ASTM F1346 or a swimming pool (other than a hot tub or spa) equipped with an automatic power safety cover which complies with ASTM F1346.
Entrapr	ment protection for swimming pool and spa suction outlets.
	Suction outlets shall be designed to produce circulation throughout the pool or spa. Single-outlet systems, such as automatic vacuum cleaner systems, or multiple suction outlets, whether isolated by valves or otherwise, shall be protected against user entrapment.
Mainter	nance
	The 2020 Property Maintenance Code of New York State requires that all swimming pools, enclosures/barriers, alarms, and entrapment protection be maintained in a clean and sanitary condition, and in good repair.



SURVEY AFFIDAVIT		

In lieu of a recent survey dated within twelve (12) months from the date of this application, the following affidavit along with the most recent survey will be accepted.

Property Information:			
Owners Name:			
Property Address:			
Survey Certification Affidavit:			
In accordance with 19 NYCRR, Codes, R plot plans and/or site plans submitted to t improvements. This is intended to include equipment, etc. for both residential and co	he Department of Buildings shall e all primary and accessory struc		
In lieu of a current survey dated within twelve (12) months from the date of this application, I certify that I have personally inspected the above referenced property and determined that the plot plan / site plan submitted accurately depicts all existing site improvements as of the date of signature on this document.			
I certify that with respect to the above application the zoning analysis accurately reflects the dimensions and zoning requirements for the subject property.			
I acknowledge that the Department of Buildings is relying on this affidavit for the code review in accordance with the Village Code and NYS Building Code.			
Applicant Statement & Signature:			
Print Name:	Signature:	Date:	
Capacity (Check One): □Owner	☐ Design Professional		

#### **USE FOR RESIDENTIAL APPLICATIONS**

NBHD# (ASSESSOR USE ONLY)

## **BUILDING PERMIT RESIDENTIAL PROPERTY**

DATE REC'D (ASSESSOR USE ONLY) **DEPARTMENT OF ASSESSMENT NASSAU COUNTY** 240 Old Country Road, Mineola, NY 11501 TOWN - CITY - VILLAGE OF: SCHOOL DISTRICT SCH DIST # PERMIT# SECTION LOT (S) SPECIFIC ZONING DESIGNATION Building ADDRESS OF PROPERTY Check one CITY, TOWN, VILLAGE CONTACT PERSON/OWNER □ OWNER ESTIMATED COST OF CONSTRUCTION: OR ☐ LESSEE CITY, STATE, ZIP WORK MUST BEGIN BY PHONE PRINCIPLE TYPE OF CONSTRUCTION EMAIL PERMIT EXP DATE STEEL LOT SIZE S.F. MASONRY IF YOU WISH TO GROUP OR APPORTION LOTS # BLDGS ON LOT П FRAME PLEASE CALL 516-571-1500 FOR FURTHER INFORMATION DETAILED DESCRIPTION OF WORK (PLEASE PRINT CLEARLY) \*INCLUDING, BUT NOT LIMITED TO: LOCATION, TYPE AND DIMENSIONS OF IMPROVEMENT **PERMIT TYPE - CHECK ALL ITEMS THAT APPLY** DOES RESIDENCE HAVE THE FOLLOWING ☐ FIRE DAMAGE ☐ NEW BUILDING LOT(S) ☐ ADDITION (CHANGE IN S.F.) ☐ GARAGE/ OUT BUILDING CENTRAL AIR YES □ NO □ □ DEMOLITION □HVAC ☐ ALTERATION (NO CHANGE IN S.F.) □ PLUMBING FINISHED ATTIC YES □ NO □ □ RELOCATION ☐ RECONSTRUCTION REPLACEMENT **BASEMENT FINISH** ☐DECK, TERRACE, PORCH, CARPORT ☐ SWIMMING POOL □ DORMERS ☐TENNIS COURT OTHER ☐ CHANGE IN USE PROPOSED TOTAL PLUMBING FIXTURES **BASEMENT** 1ST FLOOR 2ND FLOOR 3RD FLOOR FLOOR/FIXTURE BATHROOM SINK TOILET # OR BATHTUB STALL SHOWER KITCHEN SINK WET BAR NUMBER OF EXISTING AND PROPOSED BATHS NUMBER OF EXISTING FULL BATHS NUMBER OF PROPOSED FULL BATHS NUMBER OF PROPOSED HALF BATHS NUMBER OF EXISTING HALF BATHS HALF BATH EQUALS TWO FIXTURES, FULL BATH EQUALS THREE OR MORE FIXTURES NEW C/O NEEDED YES 🔲 NO 🔲 VARIANCE OBTAINED YES NO 🔲 CONSTRUCTION/RENOVATION IN EXCESS OF 50% YES  $\square$ NO  $\square$ SURVEY ENCLOSED YES  $\square$ NO 🗆 PLEASE ATTACH ALL PERMITS & SURVEY IF AVAILABLE DATE DATE OF GRANTING OF PERMIT Signature of Applicant/Contact Person - Sign & Print SEPARATE APPLICATION SHALL BE MADE FOR EACH BUILDING Address of Applicant/Contact Person Telephone FIELD REPORT ON REVERSE